An online tool for exploring oceanographic connectivity

Mark Hepburn (software engineer)


Jim Mansbridge (oceanographic analysis)

Phillip England (genetics applications)



Outline

- Significance of connectivity within the climate context
- Demonstration of CONNIE 2
- Climate related example
- Future developments and collaborations






Motivation for focusing on connectivity

Larval transport

- Recruitment of commercial and conservation species
- Introductions of exotic species
- Understanding genetic patterns and biogeography
- Distribution of productivity
 - Phytoplankton
 - Zooplankton
- Dispersal of contaminants
 - Dissolved chemicals
 - Slicks
 - Marine debris







Challenges in characterising connectivity

- Exchange rates vary with time
 - need statistical characterization
- Distribution of sources or sinks may be unknown
 - need generic characterization
- Role of swimming or settling behaviors
 - ▶ dependent on species, as well as time and space scales

Data layers are not sufficient and there aren't enough friendly oceanographic modelers to go around!



CONNectivity InterfacE – CONNIE 2


CONNIE 2 integrates:

- oceanographic transport
- biological behaviours
- environmental conditions (soon)

within a user-friendly online tool.









Model currents underlying Connie 2

- Potentially any archived dataset of historical currents
- Initial focus on BLUELink Reanalysis (BRAN)
 - Long time series (1993 2008)
 - Large region at high resolution
 - Data assimilation
 - Supported and extended into the future
 (Australia's operational forecasting model)








CONNIE 2 Domain
















Ocean Currents:	BRAN 2.1
Release Period (dd/m	im);
from:	01/01
to:	10/01
Years:	1993 1994 1995 1996 1997
Source: © Sink: C	
Passive: Be	haviours:
No behaviours con Enter Behaviours	and the second s
Final Stats: © Cumu	lative Stats: C
Colour Bar:	Jet 💌
Colour Bar Max:	100%
Clear Map Sub	mit
1923	auto autor
Manne second the falls	
Please correct the follow At least one year n	The second second
Please correct the follow At least one year n	The second second
	The second second

Welcomel Thank you for trying out Connle2. We are still rolling out new features, refining the performance and ironing out bugs, so please check back often and report any bugs to the connie team. The site does message.



© 2009, CSI



Ocean Currents: BRAN 2.1 Release Period (dd/mm); 01/01 from: 10/01 1993 1994 Years: 1995 1996 1997 Source: @ Sink: C Behaviours: Passive: No behaviours configured yet. Enter Behaviours » Final Stats: @ Cumulative Stats: C Colour Bar: Colour Bar Max: 100% Clear Map Submit Please correct the following error:

riease correct the following error

At least one year must be selected

Welcomel Thank you for trying out Connie2. We are still rolling out new features, refining the performance and ironing out bugs, so please check back often and report any bugs to the connie team. The site does message.





CSIRO






Connie2	
Ocean Currents: BRAN 2.1	
Release Period (dd/mm); from: 10: 01/01 10:	
10: Years: 1993 ↑ 1994 ↑ 1995 ↑ 1996 ↑ 1997 ▼ Source: Sink: C	
Source: © Sink: C	
Passive: Behaviours:	
No behaviours configured yet. Enter Behaviours »	Behaviours Configuration ×
Final Stats:	Phase 1 Phase 2 © Dispersal Time (days): 7 Dispersal Time (days): 14
Colour Bar: Jet	Horizontal Propulsion: North (m/s): Horizontal Propulsion: North (m/s): D
Colour Bar Max: 100%	East (m/s): 0 East (m/s): 0 Random (m/s): 0
Clear Map Submit	Wind (%): 3 Wind (%): 0
Please correct the following error:	Vertical Level 5 Vertical Level 5 (m): During: Random ▼ During: Night ▼
At least one year must be selected	During: Random ▼ During: Night ▼
	Ouring: Ouring: Ouring: Day
	THE RESERVE TO SERVE THE PARTY OF THE PARTY
National Research	

FLAGSHIPS Wealth from Oceans



200 km | 200 mi

Example from a climate hotspot





Ongoing development

- Other ocean model data sets
- Alternative specification of sources/sinks (e.g. polygons) and associated output statistics (e.g. connectivity matrices)
- Integration with other spatial datasets (T, S, Chl-a)
 - → exposure following trajectories (e.g. degree days)
- Links to other models (e.g. Atlantis, MARXAN)



Collaboration opportunities

- Areas covered by the existing CONNIE 2
- Linking CONNIE to other model data sets:
 - Great Barrier Reef
 - NW European Seas (POLCOMS)
 - Downscaled climate scenarios?



Thank you

